

## *CoverLawn*®

A patented hybrid turf solution for football

#### ÅhusTurf Hybrid turf



# **ÅhusTurf Hybrid Turf Football & Rugby**

- CoverLawn® reinforce the grass and protect the grass crown and the roots of the plant.
- With CoverLawn® you receive a very strong wear resistance grass surface.
- The grass is growing freely up and down through CoverLawn<sup>®</sup> and together they form a very strong grass surface.
- The knitted design prevents plastic piles from spreading into the nature.
- The strength of CoverLawn® prevents compaction in the  $\geq$ ground.
- Muddy areas remains green all year around.  $\geq$
- Increase your usage 3-5 times.  $\geq$
- Keeps moisture, temperature and full drainage.  $\geq$
- No studs will get stuck in CoverLawn® for football.  $\geq$ https://www.youtube.com/watch?v=TECnXNwVKMA where you see the mat laying loose on the ground.





ÅhusTurf Hybrid turf

#### > Installation

- Installation on existing grass or on seedbed.
- Requires no particular soil composition. Same as you use for football today.
- ÅhusTurf will of course supply you with installation instructions.
  Both ground preparation and installation instructions.

#### > Maintenance

 $\succ$ 

- Initial mowing with manual mower until integration is complete.
- Thatch is removed by brushing off the organic material on the hybrid. You can use an active brush in front of the tractor.
- Aeration is done with solid tines 8-12 mm.
- When you have aerated you fill the holes with a mix of sand and seed.
- > No top dress is needed on top of the Hybrid.
- If you want to use the pitch directly after installation please call us and we will tell you how to do.
- Renovation
- Brush off and remove organic material.
- Aerate with solid tines.
- Fill the holes with a mix of sand and seed.
- > Fertilise









R1A



## 20 hours training per week on a pitch with leaking irrigation

**ÅhusTurf** Hybrid turf

- -

- (CE AREAUL)







### **CoverLawn®** Specification

Technology	Knitted back side with piles integrated
Backing yarn	High quality PP
Pile	PE
Pile height	28 mm
Hole size	20 mm
Installation	Anchor pin Recyclable
Warranty	7 years by normal use
Width	2,4 m
Coating	Acrylic
Product	Recyclable